



DEKOGROUT+ G. Antracite, Marrone, Tabacco 2505

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING 1.1 Product identifier: DEKOGROUT+ G. Antracite, Marrone, Tabacco 2505 Other means of identification: UFI: MD70-F0TA-E00F-JMHM 1.2 Relevant identified uses of the substance or mixture and uses advised against: Relevant uses: Mortar. For professional users only. PROC 19: manuel blanding med direkte kontakt, med kun brug af personlige værnemidler (PPE). Uses advised against: All uses not specified in this section or in section 7.3 1.3 Details of the supplier of the safety data sheet: LATICRETE EUROPE SRL a socio unico Via Paletti sinc. 41051 Castelnuovo Rangone - Italia Phone: +39 059 535 540 - Fax: +39 059 538 338 sicurezza@benferit http://www.benferit 1.4 Emergency telephone number: NHS Direct (UK): +44 0845 46 47 Europe's emergency number: 112 Company number (08:00 - 18:00 CET): (+39) 059 535540 SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance or mixture: This product contains less than 1% respirable crystalline silica, so it does not require classification CLP Regulation (EC) No 1272/2008: Classification (EC) No 1272/2008: Use lements: CLP Regulation (EC) No 1272/2008: Warning			
Antracite, Marrone, Tabacco 2505 UFI: MD70-F0TA-E00F-JMHM 1.2 Relevant identified uses of the sub-stoce or mixture and uses advised against: Relevant uses: Mortar. For professional users only. PROC 19: manuel blanding med direkte kontakt, med kun brug af personlige værnemidler (PPE). Uses advised against: All uses not specified in this section or in section 7.3 1.3 Details of the supplier of the safety data sheet: LATICRETE EUROPE SRL a socio unico Via Paletti snc 41051 Castelnuovo Rangone - Italia Phone: +39 059 535 540 - Fax: +39 059 58 338 sicurezza@benfer.it http://www.benfer.it 1.4 Emergency telephone number: SECCTION 2: HAZARDS IDENTIFICATION: Cassification of the substance or mixture: This product contains less than 1% respirable crystalline silica, so it does not require classification CLP Regulation (EC) No 1272/2008: Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008. Eye Irrit. 2: Eye irritation, Category 2, H319 2.1 Label elements: CLP Regulation (EC) No 1272/2008:	SECT	TION 1: IDENTIFICATION OF TH	HE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
 UFI: MD70-F0TA-E00F-JMHM Relevant identified uses of the substance or mixture and uses advised against: Relevant uses: Mortar. For professional users only. PROC 19: manuel blanding med direkte kontakt, med kun brug af personlige værnemidler (PPE). Uses advised against: All uses not specified in this section or in section 7.3 Details of the supplier of the safety data sheet: LATICRETE EUROPE SRL a socio unico Via Paletti snc 41051 Castelnuovo Rangone - Italia Phone: +39 059 535 540 - Fax: +39 059 538 338 sicurezza@benfer.it http://www.benfer.it Emergency telephone number: NHS Direct (UK): +44 0845 46 47 Europe's emergency number: 112 Company number (08:00 - 18:00 CET): (+39) 059 535540 SECTION 2: HAZARDS IDENTIFICATION Classification of the substance or mixture: This product contains less than 1% respirable crystalline silica, so it does not require classification CLP Regulation (EC) No 1272/2008: Label elements: CLP Regulation (EC) No 1272/2008: CLP Regulation (EC) No 1272/2008:	1.1	Product identifier:	Antracite, Marrone, Tabacco
 1.2 Relevant identified uses of the substance or mixture and uses advised against: Relevant uses: Mortar. For professional users only. PROC 19: manuel blanding med direkte kontakt, med kun brug af personlige værnemidler (PPE). Uses advised against: All uses not specified in this section or in section 7.3 1.3 Details of the supplier of the safety data sheet: LATICRETE EUROPE SRL a socio unico Via Paletti snc 41051 Castelnuovo Rangone - Italia Phone: +39 059 535 540 - Fax: +39 059 538 338 sicurezza@benfer.it http://www.benfer.it 1.4 Emergency telephone number: NHS Direct (UK): +44 0845 46 47 Europe's emergency number: 112 Company number (08:00 - 18:00 CET): (+39) 059 535540 SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance or mixture: This product contains less than 1% respirable crystalline silica, so it does not require classification CLP Regulation (EC) No 1272/2008: Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008. Eye Irrit. 2: Eye irritation, Category 2, H319 2.2 Label elements: CLP Regulation (EC) No 1272/2008: 		Other means of identification:	
Relevant uses: Mortar. For professional users only. PROC 19: manuel blanding med direkte kontakt, med kun brug af personlige værnemidler (PPE). Uses advised against: All uses not specified in this section or in section 7.3 1.3 Details of the supplier of the safety data sheet: LATICRETE EUROPE SRL a socio unico Via Paletti snc 41051 Castelnuovo Rangone - Italia Phone: +39 059 535 540 - Fax: +39 059 538 338 sicurezza@benfer.it http://www.benfer.it 1.4 Emergency telephone number: NHS Direct (UK): +44 0845 46 47 Europe's emergency number: 112 Company number (08:00 - 18:00 CET): (+39) 059 535540 SECTION 2: HAZARDS IDENTIFICATION Classification of the substance or mixture: This product contains less than 1% respirable crystalline silica, so it does not require classification CLP Regulation (EC) No 1272/2008: Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008. Eye Irrit. 2: Eye irritation, Category 2, H319 Label elements: CLP Regulation (EC) No 1272/2008:		UFI:	MD70-F0TA-E00F-JMHM
 PROC 19: manuel blanding med direkte kontakt, med kun brug af personlige værnemidler (PPE). Uses advised against: All uses not specified in this section or in section 7.3 1.3 Details of the supplier of the safety data sheet: LATICRETE EUROPE SRL a socio unico Via Paletti snc 41051 Castelnuovo Rangone - Italia Phone: +39 059 535 540 - Fax: +39 059 538 338 sicurezza@benfer.it http://www.benfer.it 1.4 Emergency telephone number: NHS Direct (UK): +44 0845 46 47 Europe's emergency number: 112 Company number (08:00 - 18:00 CET): (+39) 059 535540 SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance or mixture: This product contains less than 1% respirable crystalline silica, so it does not require classification CLP Regulation (EC) No 1272/2008: Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008. Eye Irrit. 2: Eye irritation, Category 2, H319 2.2 Label elements: CLP Regulation (EC) No 1272/2008: 	1.2	Relevant identified uses of the	substance or mixture and uses advised against:
Uses advised against: All uses not specified in this section or in section 7.3 1.3 Details of the supplier of the safety data sheet: LATICRETE EUROPE SRL a socio unico Via Paletti snc 41051 Castelnuovo Rangone - Italia Phone: +39 059 535 540 - Fax: +39 059 538 338 sicurezza@benfer.it http://www.benfer.it 1.4 Emergency telephone number: NHS Direct (UK): +44 0845 46 47 Europe's emergency number: 112 Company number (08:00 - 18:00 CET): (+39) 059 535540 SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance or mixture: This product contains less than 1% respirable crystalline silica, so it does not require classification CLP Regulation (EC) No 1272/2008: Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008. Eye Irrit. 2: Eye irritation, Category 2, H319 2.2 Label elements: CLP Regulation (EC) No 1272/2008:		Relevant uses: Mortar. For profession	onal users only.
 1.3 Details of the supplier of the safety data sheet: LATICRETE EUROPE SRL a socio unico Via Paletti snc 41051 Castelnuovo Rangone - Italia Phone: + 39 059 535 540 - Fax: +39 059 538 338 sicurezza@benfer.it http://www.benfer.it 1.4 Emergency telephone number: NHS Direct (UK): +44 0845 46 47 Europe's emergency number: 112 Company number (08:00 - 18:00 CET): (+39) 059 535540 SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance or mixture: This product contains less than 1% respirable crystalline silica, so it does not require classification CLP Regulation (EC) No 1272/2008: Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008. Eye Irrit. 2: Eye irritation, Category 2, H319 2.2 Label elements: CLP Regulation (EC) No 1272/2008: 		PROC 19: manuel blanding med dire	ekte kontakt, med kun brug af personlige værnemidler (PPE).
LATTCRETE EUROPE SRL a socio unico Via Paletti snc 41051 Castelnuovo Rangone - Italia Phone: +39 059 535 540 - Fax: +39 059 538 338 sicurezza@benfer.it http://www.benfer.it 1.4 Emergency telephone number: NHS Direct (UK): +44 0845 46 47 Europe's emergency number: 112 Company number (08:00 - 18:00 CET): (+39) 059 535540 SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance or mixture: This product contains less than 1% respirable crystalline silica, so it does not require classification CLP Regulation (EC) No 1272/2008: Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008. Eye Irrit. 2: Eye irritation, Category 2, H319 2.2 Label elements: CLP Regulation (EC) No 1272/2008:		Uses advised against: All uses not s	specified in this section or in section 7.3
Via Paletti snc 41051 Castelnuovo Rangone - Italia Phone: +39 059 535 540 - Fax: +39 059 538 338 sicurezza@benfer.it http://www.benfer.it 1.4 Emergency telephone number: NHS Direct (UK): +44 0845 46 47 Europe's emergency number: 112 Company number (08:00 - 18:00 CET): (+39) 059 535540 SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance or mixture: This product contains less than 1% respirable crystalline silica, so it does not require classification CLP Regulation (EC) No 1272/2008: Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008. Eye Irrit. 2: Eye irritation, Category 2, H319 2.2 Label elements: CLP Regulation (EC) No 1272/2008:	1.3	Details of the supplier of the sa	ifety data sheet:
 1.4 Emergency telephone number: NHS Direct (UK): +44 0845 46 47 Europe's emergency number: 112 Company number (08:00 - 18:00 CET): (+39) 059 535540 SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance or mixture: This product contains less than 1% respirable crystalline silica, so it does not require classification CLP Regulation (EC) No 1272/2008: Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008. Eye Irrit. 2: Eye irritation, Category 2, H319 2.2 Label elements: CLP Regulation (EC) No 1272/2008: 		Via Paletti snc 41051 Castelnuovo Rangone - Italia Phone: +39 059 535 540 - Fax: +39 sicurezza@benfer.it	ia
 2.1 Classification of the substance or mixture: This product contains less than 1% respirable crystalline silica, so it does not require classification CLP Regulation (EC) No 1272/2008: Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008. Eye Irrit. 2: Eye irritation, Category 2, H319 2.2 Label elements: CLP Regulation (EC) No 1272/2008: 	1.4	• • • •	Europe's emergency number: 112
 2.1 Classification of the substance or mixture: This product contains less than 1% respirable crystalline silica, so it does not require classification CLP Regulation (EC) No 1272/2008: Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008. Eye Irrit. 2: Eye irritation, Category 2, H319 2.2 Label elements: CLP Regulation (EC) No 1272/2008: 			
 This product contains less than 1% respirable crystalline silica, so it does not require classification CLP Regulation (EC) No 1272/2008: Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008. Eye Irrit. 2: Eye irritation, Category 2, H319 Label elements: CLP Regulation (EC) No 1272/2008: 	SEC	FION 2: HAZARDS IDENTIFICAT	TION
 CLP Regulation (EC) No 1272/2008: Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008. Eye Irrit. 2: Eye irritation, Category 2, H319 2.2 Label elements: CLP Regulation (EC) No 1272/2008: 	2.1	Classification of the substance	or mixture:
 Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008. Eye Irrit. 2: Eye irritation, Category 2, H319 2.2 Label elements: CLP Regulation (EC) No 1272/2008: 		This product contains less than 1%	respirable crystalline silica, so it does not require classification
Eye Irrit. 2: Eye irritation, Category 2, H319 2.2 Label elements: CLP Regulation (EC) No 1272/2008:		CLP Regulation (EC) No 1272/2	2008:
2.2 Label elements: CLP Regulation (EC) No 1272/2008:		Classification of this product has be	een carried out in accordance with CLP Regulation (EC) No 1272/2008.
CLP Regulation (EC) No 1272/2008:		Eye Irrit. 2: Eye irritation, Category	/ 2, H319
	2.2	Label elements:	
Warning		CLP Regulation (EC) No 1272/2	2008:
		Warning	
		\wedge	

Hazard statements:

Eye Irrit. 2: H319 - Causes serious eye irritation.

Precautionary statements:

P264: Wash thoroughly after handling.

P280: Wear protective gloves/protective clothing/respiratory protection/eye protection/protective footwear. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

Supplementary information:

EUH208: Contains octhilinone (ISO). May produce an allergic reaction. EUH212: Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

UFI: MD70-F0TA-E00F-JMHM

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Benfer



DEKOGROUT+ G. Antracite, Marrone, Tabacco 2505

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture of hydraulic binders, lime, aggregates and additives

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification		
CAS:	65997-16-2			Self-classified	
EC: Index: REACH:	266-045-5 Non-applicable 01-2119989490-26- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	(1)	25 - <35 %
CAS:	26530-20-1	octhilinone (ISO) ⁽¹⁾		ATP ATP15	
	247-761-7 613-112-00-5 01-2120768921-45- XXXX	Regulation 1272/2008	Acute Tox. 2: H330; Acute Tox. 3: H301+H311; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1: H314; Skin Sens. 1A: H317; EUH071 - Danger		0,0005 - <0,001 %

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

	Identification				M-factor
octhilinone (ISO)				Acute	100
CAS: 26530-20-1	EC: 247-761-7			Chronic	100
	Identification		Spec	ific concentrat	ion limit
octhilinone (ISO) CAS: 26530-20-1 EC: 247-761-7			% (w/w) >=0,0015: Skin Se	ns. 1A - H317	

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable





DEKOGROUT+ G. Antracite, Marrone, Tabacco 2505

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid spillage into the aquatic environment as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into the aquatic environment notify the relevant authority.

6.3 Methods and material for containment and cleaning up:

It is recommended:

6.4

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Use in ventilated areas. Avoid the build up of dust

- B.- Technical recommendations for the prevention of fires and explosions
- Due to its non-inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.
- C.- Technical recommendations on general occupational hygiene
 - Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.
- D.- Technical recommendations to prevent environmental risks

Preferably use aspiration for cleaning. Given the danger of the product by inhalation, any cleaning method that involves exposure to the product in this way (sweeping, etc.) is not recommended

7.2 Conditions for safe storage, including any incompatibilities:





DEKOGROUT+ G. Antracite, Marrone, Tabacco 2505

SECTION 7: HANDLING AND STORAGE (continued)

A.- Technical measures for storage

Maximum time: 12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5 Keep the container tightly sealed and protected from open air and humidity.

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3

DNEL (Workers):

		Short e	xposure	Long ex	kposure
Identification		Systemic	Local	Systemic	Local
Cement, alumina, chemicals	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 65997-16-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 266-045-5	Inhalation	5 mg/m³	Non-applicable	2,5 mg/m ³	Non-applicable

DNEL (General population):

Non-applicable

PNEC:

Identification				
Cement, alumina, chemicals	STP	10 mg/L	Fresh water	260 mg/L
CAS: 65997-16-2	Soil	Non-applicable	Marine water	Non-applicable
EC: 266-045-5	Intermittent	260 mg/L	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable
octhilinone (ISO)	STP	Non-applicable	Fresh water	0,0022 mg/L
CAS: 26530-20-1	Soil	0,0082 mg/kg	Marine water	0,00022 mg/L
EC: 247-761-7	Intermittent	0,00122 mg/L	Sediment (Fresh water)	0,0475 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,00475 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Compulsory use of face mask	Filter mask for particles (Filter type: FFP2)		EN 149:2001+A1:2009	Replace when an increase in resistence to breathing is observed.
C Specific protection for the hands				

- CONTINUED ON NEXT PAGE -

Date of compilation: 30/11/2017

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Benfer



DEKOGROUT+ G. Antracite, Marrone, Tabacco 2505

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+ A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
*	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	+	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

Eksponeringsscenarie: PROC19 Professionel brug af hydrauliske materialer til byggeri og konstruktion (indvendigt, udvendigt). Professionel anvendelse af højpolerede faste stoffer / pulvere af kalkbaserede stoffer.

Eksponering: <240 minutter.

Lokaliserede kontroller: Lokaliserede kontroller er ikke anvendelige. Behandles kun i godt ventilerede eller udendørs miljøer (effektivitet: 50%). Åndedrætsværn (RPE): FFP2 maske

RPE-effektivitet - tildelt beskyttelsesfaktor APF = 20

Yderligere personlige værnemidler (PPE): Øjenværn bør bæres, medmindre, på grund af arten og typen af anvendelse (dvs. lukket proces), potentiel kontakt med øjnene ikke kan udelukkes. Bær også ansigtsbeskyttelse, beskyttelsestøj, beskyttelseshandsker og passende sikkerhedssko

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	0,09 % weight
V.O.C. density at 20 °C:	2,75 kg/m ³ (2,75 g/L)
Average carbon number:	6
Average molecular weight:	164,3 g/mol



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

DEKOGROUT+ G. Antracite, Marrone, Tabacco 2505

9.1 Information on basic physical and chemical properties: **Appearance:** Physical state at 20 °C: Solid Appearance: Powdery Colour: According to the markings on the package Odour: Odourless Odour threshold: Non-applicable * Volatility: Boiling point at atmospheric pressure: Non-applicable * Vapour pressure at 20 °C: Non-applicable * Vapour pressure at 50 °C: Non-applicable * Evaporation rate at 20 °C: Non-applicable * **Product description:** Density at 20 °C: 2900 - 3000 kg/m3 Relative density at 20 °C: 900 - 1200 Dynamic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 40 °C: Non-applicable * Concentration: Non-applicable * pH: 10 (at 50 %) Vapour density at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: 20 kg/m³ Solubility properties: Partially miscible Decomposition temperature: Non-applicable * Melting point/freezing point: 1000 °C Flammability: Flash Point: Non-applicable Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Explosive (Solid): Lower explosive limit: Non-applicable * Upper explosive limit: Non-applicable * **Particle characteristics:** Median equivalent diameter: Non-applicable * 9.2 Other information: Information with regard to physical hazard classes: Non-applicable * Explosive properties: Oxidising properties: Non-applicable * Corrosive to metals: Non-applicable * Heat of combustion: Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards.

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation





DEKOGROUT+ G. Antracite, Marrone, Tabacco 2505

SEC	ECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)		
	Aerosols-total percentage (by mass) of flammable components: Other safety characteristics:	Non-applicable *	
	Surface tension at 20 °C:	Non-applicable *	
	Refraction index:	Non-applicable *	
	*Not relevant due to the nature of the product, not providing information property of its hazards.		

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Avoid direct impact

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Incompatible	Silicate formation and calcium hydroxide	Avoid direct impact	Not applicable	Base metal salts (Al, NH4,)

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract

- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):



legislation

DEKOGROUT+ G. Antracite, Marrone, Tabacco 2505

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
- IARC: Poly(vinyl chloride-co-vinyl acetate) (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as
 - it does not contain substances classified as hazardous for this effect. For more information see section 3.
 Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as
 - hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Contact with human skin, without adequate protection, can result in skin thickening, cracking, or fissuring

Specific toxicology information on the substances:

Identification	tion Acute toxicity		Genus
octhilinone (ISO)	LD50 oral	125 mg/kg	
CAS: 26530-20-1	LD50 dermal	311 mg/kg	
EC: 247-761-7	LC50 inhalation	Non-applicable	

Acute Toxicity Estimate (ATE mix):

ATE mix		Ingredient(s) of unknown toxicity	
Oral	>2000 mg/kg (Calculation method)	Non-applicable	
Dermal	>2000 mg/kg (Calculation method)	Non-applicable	
Inhalation	>5 mg/L (4 h) (Calculation method)	Non-applicable	

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
octhilinone (ISO)	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 26530-20-1	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 247-761-7	EC50	>0.1 - 1 mg/L (72 h)		Algae

legislation





DEKOGROUT+ G. Antracite, Marrone, Tabacco 2505

SECTION 12: ECOLOGICAL INFORMATION (continued)

- **12.2 Persistence and degradability:** Not available
- 12.3 Bioaccumulative potential:
- Not available 12.4 Mobility in soil:

Not available

12.5 Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
17 09 03*	other construction and demolition wastes (including mixed wastes) containing hazardous substances	Dangerous

Product - Cement that has exceeded its shelf life: 10 13 99

Product - Unused residue or dry spillage: 10 13 06

Product - after addition of water, hardened: 10 13 14, 17 01 01

Type of waste (Regulation (EU) No 1357/2014):

HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains octhilinone (ISO).

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: octhilinone (ISO) (Product-type 6, 7, 8, 9, 10, 11, 13)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable





DEKOGROUT+ G. Antracite, Marrone, Tabacco 2505

SECTION 15: REGULATORY INFORMATION (continued)

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

1. Cement and cement-containing mixtures shall not be placed on the market, or used, if they contain, when hydrated, more than 2 mg/kg (0,0002 %) soluble chromium VI of the total dry weight of the cement.

2. If reducing agents are used, then without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of cement or cement-containing mixtures is visibly, legibly and indelibly marked with information on the packing date, as well as on the storage conditions and the storage period appropriate to maintaining the activity of the reducing agent and to keeping the content of soluble chromium VI below the limit indicated in paragraph 1.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the placing on the market for, and use in, controlled closed and totally automated processes in which cement and cement-containing mixtures are handled solely by machines and in which there is no possibility of contact with the skin.

Occupational exposure to respirable crystalline silica must be controlled pursuant to Directive (EU) 2019/130.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMMISSION REGULATION (EU) 2020/878

Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 2: H330 - Fatal if inhaled.

Acute Tox. 3: H301+H311 - Toxic if swallowed or in contact with skin.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Skin Corr. 1: H314 - Causes severe skin burns and eye damage.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

Classification procedure:

Eye Irrit. 2: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

Abbreviations and acronyms:





DEKOGROUT+ G. Antracite, Marrone, Tabacco 2505

SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LC50: Lethal Concentration 50 LOgPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.