

## **Declaration of performance**

according Annex III oft he Regulation (EU) No. 305/2011

#### for the product

### **ACQUASHIELD-FAST**

1097

1. Unique identification code of the product type:

EN 14891 CM

2. Identification:

batch no.: see packaging of the product

3. Intended use:

Liquid applied cement based waterproofing product for use under ceramic tiles in exterior

area

4. Manufacturer:

Benfer Schomburg s.r.l.

Via Paletti snc

41051 Castelnuovo Rangone (MO)

5. Authorized representative:

Not relevant

6. System or systems of assessment and

verification of constancy of performance of the construction

product as:

System 3

7. Notified test laboratory

The notified testing laboratory **Modena Centro Prove srl** Via Sallustio 78, Modena, Italy, identification number **1599** performed the determination of the product-type on the basis of type testing under system 3 and issued: test

report 20178982





#### 8. Declared Performance:

Essential Characteristics	Performance	Harmonised technical specification
Initial adhesive tensile strength	≥ 0.5 N/mm²	
Tensile adhesion strength after water immersion	≥ 0.5 N/mm²	
Tensile adhesion strength after heat ageing	≥ 0.5 N/mm²	
Tensile adhesion strength after freeze-thaw cycles	≥ 0.5 N/mm²	
Adhesive tensile strength after contact with lime water	≥ 0.5 N/mm²	EN 14891:2017
Water impermeability	No water penetration	
Crack bridging	≥ 0.75 mm	
Dangerous ingredients	See SDS	

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

# Signed for and on behalf of the manufacturer by: Giorgio Cocchi, president.

(name and function)

Castelnuovo Rangone, 06-09-2017

This declaration of performance was created electronically. It is valid without manual signature.

Current material safety data sheet and technical data sheet is downloadable under: <a href="https://www.benfer.it">www.benfer.it</a>

